



Specification m/v. "LØNNØY"

Type:	Purse Seiner / Pelagic Trawler
Built:	1999 in Norway
Conversions:	2010: Main and Aux. Engines rebuilt for low NoX emission
Class:	DNVGL +1A1 Fishing Vessel (S), Ice C
Tonnage:	GT: 2,183 / NT: 654
Dimensions:	
LOA/LPP:	LOA: 68.30m / LPP: 60.00 m
Beam:	14.00 m
Depth:	9.65 m
Main Engine:	MAK 5,875 BHP @ 600 rpm Main Gear: Scana Volda
Propeller:	Scana Volda ACG 850, 4 blades - ø 3,800 mm
Side Thrusters:	Fore: Brunvoll 802 HP Aft: Brunvoll 1,000 HP
Aux. Engines:	2 x Caterpillar 3508 TA 715 kW each
Generators:	1 x AEM/SE 630 SG 2,000 kW (2,500 kVA) front mounted 1 x Aux. Generator Set 894 kVA 1 x Aux. Generator Set 320 kW
Deck Equipment:	All RAPP Winches: 2 x Trawl Winches 80 ts each 2 x Purse Seine Winches 36 ts each 2 x Net Drums 80 ts each 1 x Net Sounder Winch

Specification m/v. "LØNNØY"

- Deck Equipment: 1 x SM Triplex Deck Crane Knockle Boom 5 ts/14 m
1 x Pump Crane 3 ts/12 m
1 x SM Triplex NK-7500 Net Crane - Net Stacker
1 x SM Triplex 840/500 Net Winch - Net Hauler
1 x Triplex Middle Transport Roller
2 x KARMØY Winch Fish Pumps 18/24 "
1 x "Ørekal" Winch
1 x Crock Stacker
2 x Anchor Winches
1 x TENDOS TVP 3500 Vacuum Pump w/2 Compressors
1 x MMC Vacuum Compressors
1 x Hose Drum
1 x Hydr. Hose Drum
2 x Aux. Winches on Fore Castle deck
1 x Aux. Winch aft
- RSW Capacity: 1,826 cbm in 10 Tanks
- Cooling Equipment: 2 x Teknoterm RSW Plants 930 kW
Cooling Agent: Freon
- Bunkers:
- Gas Oil: 490 cbm
 - Fr. Water: 37.5 - 23.2 cbm
 - Stab. Tanks: 49 - 107 cbm
 - Forepeak: 112 cbm
- Electronics:
- 1 x Sonar SIMRAD SU low freq
 - 1 x Sonar middle freq
 - 1 x Echo Sounder FCV-30 low freq
 - 1 x Echo Sounder FCV-1200L high and low freq
 - 1 x Trawl Sonar FURUNO TS331A + 4 Catch Sensors
 - 1 x Receiver SCANMAR for 2 Catch Sensors & 1 Depth Sensor
 - 1 x Radar FAR-2835S 10 cm
 - 1 x Radar FAR-2XX7 3 cm
 - 1 x Electronic Sea Chart TECDIS
 - 1 x Inmarsat C
 - 1 x FURUNO Felcom-12
 - 2 x GPS FURUNO GP-80
 - 1 x Sat. Compass FURUNO FC-110
 - 1 x Wind Measurer FURUNO
 - 1 x VHF FM-8700

Specification m/v. "LØNNØY"

Electronics:	1 x VHF FM-8500 1 x VHF FM-2520 1 x AIS FURTUNO Universal FA-100 1 x Current Log 1 x FURUNO CI-60G 1 x Auto Pilot ANSCHUTZ PilotStar D 1 x Gyro Compass ANSCHUTZ Standard 22
Accommodation:	For 14 Crew - 12 Cabins, all with private facilities, incl. hospital
Various:	Vessel is converted for pumping fish aft also Bollard Pull: 80 ts Speed: 18 kn Steering Gear: Ulstein Tenfjord Rudder: Becker
Price:	Contact Us