



Specification m/v. "LØNNØY"

| | |
|-----------------|--|
| Type: | Purse Seiner / Pelagic Trawler |
| Built: | 1999 in Norway |
| Conversions: | 2010: Main and Aux. Engines rebuilt for low NoX emission |
| Class: | DNVGL +1A1 Fishing Vessel (S), Ice C |
| Tonnage: | GT: 2,183 / NT: 654 |
| Dimensions: | |
| LOA/LPP: | LOA: 68.30m / LPP: 60.00 m |
| Beam: | 14.00 m |
| Depth: | 9.65 m |
| Main Engine: | MAK 5,875 BHP @ 600 rpm Main Gear: Scana Volda |
| Propeller: | Scana Volda ACG 850, 4 blades - ø 3,800 mm |
| Side Thrusters: | Fore: Brunvoll 802 HP Aft: Brunvoll 1,000 HP |
| Aux. Engines: | 2 x Caterpillar 3508 TA 715 kW each |
| Generators: | 1 x AEM/SE 630 SG 2,000 kW (2,500 kVA) front mounted 1 x Aux. Generator Set 894 kVA 1 x Aux. Generator Set 320 kW |
| Deck Equipment: | All RAPP Winches: 2 x Trawl Winches 80 ts each 2 x Purse Seine Winches 36 ts each 2 x Net Drums 80 ts each 1 x Net Sounder Winch |

Specification m/v. "LØNNØY"

| | |
|--------------------|---|
| Deck Equipment: | 1 x SM Triplex Deck Crane Knockle Boom 5 ts/14 m 1 x Pump Crane 3 ts/12 m 1 x SM Triplex NK-7500 Net Crane - Net Stacker 1 x SM Triplex 840/500 Net Winch - Net Hauler 1 x Triplex Middle Transport Roller 2 x KARMØY Winch Fish Pumps 18/24 " 1 x "Ørekal" Winch 1 x Crock Stacker 2 x Anchor Winches 1 x TENDOS TVP 3500 Vacuum Pump w/2 Compressors 1 x MMC Vacuum Compressors 1 x Hose Drum 1 x Hydr. Hose Drum 2 x Aux. Winches on Fore Castle deck 1 x Aux. Winch aft |
| RSW Capacity: | 1,826 cbm in 10 Tanks |
| Cooling Equipment: | 2 x Teknoterm RSW Plants 930 kW Cooling Agent: Freon |
| Bunkers: | |
| Gas Oil: | 490 cbm |
| Fr. Water: | 37.5 - 23.2 cbm |
| Stab. Tanks: | 49 - 107 cbm |
| Forepeak: | 112 cbm |
| Electronics: | 1 x Sonar SIMRAD SU low freq 1 x Sonar middle freq 1 x Echo Sounder FCV-30 low freq 1 x Echo Sounder FCV-1200L high and low freq 1 x Trawl Sonar FURUNO TS331A + 4 Catch Sensors 1 x Receiver SCANMAR for 2 Catch Sensors & 1 Depth Sensor 1 x Radar FAR-2835S 10 cm 1 x Radar FAR-2XX7 3 cm 1 x Electronic Sea Chart TECDIS 1 x Inmarsat C 1 x FURUNO Felcom-12 2 x GPS FURUNO GP-80 1 x Sat. Compass FURUNO FC-110 1 x Wind Measurer FURUNO 1 x VHF FM-8700 |

Specification m/v. "LØNNØY"

| | |
|----------------|--|
| Electronics: | 1 x VHF FM-8500 1 x VHF FM-2520 1 x AIS FURTUNO Universal FA-100 1 x Current Log 1 x FURUNO CI-60G 1 x Auto Pilot ANSCHUTZ PilotStar D 1 x Gyro Compass ANSCHUTZ Standard 22 |
| Accommodation: | For 14 Crew - 12 Cabins, all with private facilities, incl. hospital |
| Various: | Bollard Pull: 80 ts Speed: 18 kn Steering Gear: Ulstein Tenfjord Rudder: Becker |
| Price: | Contact Us |