



Specification m/v. "SJØBRIS"

Type:	Purse Seiner / Pelagic Trawler
Built:	1985 in Norway
Re-buildings:	1989: Lengthened 1997: New Mess Room and new RSW Plant 2010: New Net Stacker and new RSW Plant (Ammonia) New Provision Room New UREA Plant for Main Engine for NoX Reduction
Class:	DNV GL +1A1, Stern Trawler (S), Ice-C
Tonnage:	GT: 1,559 / NT: 604
Dimensions:	
LOA/LPP:	LOA: 70.4 m / LPP: 60.2 m
Beam:	12.0 m
Depth:	7.9 m
Main Engine:	Bergen Diesel (R-R) KVMB-12 - 3,000 BHP @ 825 rpm Reduction Gear: Ulstein (R-R) 600 AGSC Bollard Pull: 45 ts
Propeller:	Ulstein (R-R) C/P - ø 3,400 mm
Side Thrusters:	Fore: Ulstein 600 HP Aft: Ulstein 800 HP
Aux. Engines:	2 x Deutz BA 12 m 816 1 x Caterpillar 3508

Specification m/v. "SJØBRIS"

Generators:	1 x Shaft Generator 1,250 kVA / 1,000 kW 2 x STAMFORD Generators 661 kW & 325 kW 1 x CAT Generator 910 kW
Deck Equipment:	2 x Brattvaag Trawl / Purse Winches 30 ts each 1 x Rapp Net Drum 30 ts 1 x Rapp Net Sounder Winch 1 x Rapp Aux./Overshoot Winch 1 x Brattvaag Anchor/Mooring Winch 1 x Triplex Net Winch / Power Block 840/500 18 1 x Triplex NK-6000 Net Stacker / Crane 1 x Abas Transport Roller 1 x Hydralift Deck Crane 3.5 ts/10 m 1 x Abas Deck Crane for Fish Pump 1 x Sea-Quest 18" Fish Pump 2 x MMC Vacuum Pumps 1 x Tank 5,000 l
Hold Capacity:	1,850 cbm in 9 RSW Tanks
Freezing Equipment:	1 x Teknotherm @ 550,000 kCal/h - R22 1 x MMC Kulde @1,000,000 kCal/h - Ammonia
Bunkers:	
Gas Oil:	
Fr. Water:	Alfa Laval Fresh Water Generator 6 ts/24 h\$
Electronics:	1 x Sonar SIMRAD SU90 1 x Sonar SIMRAD SH-90 114 kHz 1 x Echo Sounder SIMRAD EØ 55 1 x Echo Sounder SIMRAD EØ 100 1 x Radar JRC 3 cm - JMA 5312 1 x Radar JRC 10 cm - JMA 5332/12S BB S-Band 1 x Telex SCANCOM 1 x GPS FURUNO 500 1 x GPS FURUNO 80 1 x Fax OKI 1 x Inmarsat M JRC Sat Phone 1 x Plotter GD 500 1 x Radio MOTOROLA GP 300 1 x Satellite SEATEL 1 x V-Sat INMARSAT Fleet X-Press (on hire) 1 x Search Light IBAK

Specification m/v. "SJØBRIS"

Electronics:	1 x GPS Compass JRC 1 x Sea Current Log 1 x Ecdis JRC
Accommodation:	For 16 Persons (10 x 1 + 3 x 2 Berth Cabins)
Various:	Service Speed: 12 kn Oil Consumption: 500 l/h when trawling 300 l/h when steaming @ 11 kn Hull Integrated Anti-Roll Tank
Price:	Contact Us